

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7474	((713/150) or (713/161) or (713/167-168) or (713/170-171) or (713/182) or (380/228) or (380/277) or (380/282) or (380/285) or (380/28-30) or (705/56) or (705/78) or (709/216) or (709/219) or (726/1-7) or (726/17-19) or (726/21) or (726/26) or (726/27-30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:01
L2	4557	I1 and (manufactur\$4 provider\$1 center\$1 vendor\$1)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:02
L3	71950	(passcode\$2 password\$2 pin number\$1) near3 (manufactur\$4 provider\$1 center\$1 vendor\$1)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:08
L4	8223	(passcode\$2 password\$2 pin number\$1) near5 (correspond\$3 match\$3 compar\$6 fit\$1 predetermin\$6 pre-determin\$6) near5 (id identification\$1 identifier\$1 identit\$3)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:05
L5	728	I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:05
L6	95	I4 and I5	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:05
L7	2867	(bit\$1 string\$1) near3 (cipher\$8 encrypt\$3 encrypt\$4 crypto\$9)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:06
L8	1263	(bit\$1 string\$1) near3 (hash\$1)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:07
L9	0	I6 and I7 and I8	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:07
L10	24	I6 and I7	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:07
L12	8	I10 and (hash\$1)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:07
L13	239	I7 and I8	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:08
L14	1868	I3 near4 (request\$3 obtain\$3 determin\$7)	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:09
L15	6	I13 and I14	USPAT; IBM_TDB	OR	OFF	2006/02/13 13:10